

# FRAGMENTS OF OENOCHOE GV132-01 US26-Obj.10 - TIN BRONZE - ROMAN TIMES - SWITZERLAND

|                      |  |
|----------------------|--|
| <b>Artefact name</b> | Fragments of oenochoe GV132-01 US26-obj.10   |
| <b>Authors</b>       | Christian. Degriigny (HE-Arc CR, Neuchâtel, Neuchâtel, Switzerland) & Sandra. Gillioz (HE-Arc CR, Neuchâtel, Neuchâtel, Switzerland) & Valentin. Boissonnas (HE-Arc CR, Neuchâtel, Neuchâtel, Switzerland) |
| <b>Url</b>           | /artefacts/1227/   |

## ∨ The object



Credit HE-Arc CR, S.Gillioz.

Fig. 1: Oenochoe, belly / neck of the vessel with its base. Only the base is considered in the present sheet,

## ∨ Description and visual observation

|  |   |
|--|---|
| <b>Description of the artefact</b>     | Base of an oenochoe (Fig. 1) developing locally green corrosion products covered or not with sediments. Dimensions: L = 82 mm; W = 74 (after degradation) ; T =6,5 mm; WT = 30,9 g. |
| <b>Type of artefact</b>                | Vessel  |
| <b>Origin</b>                          | Place Simon-Goulart, Genève, Geneva, Switzerland  |
| <b>Recovering date</b>                 | Excavation 2012   |
| <b>Chronology category</b>             | Roman Times   |
| <b>chronology tpq</b>                  | <input type="text" value="20"/> B.C. ▼  |
| <b>chronology taq</b>                  | <input type="text" value="50"/> A.D. ▼  |
| <b>Chronology comment</b>              |   |
| <b>Burial conditions / environment</b> | Soil  |

|                                   |  |
|-----------------------------------|--|
| <b>Artefact location</b>          | Service cantonal d'archéologie, Genève, Geneva |
| <b>Owner</b>                      | Service cantonal d'archéologie, Genève, Geneva |
| <b>Inv. number</b>                | GV132-01/US26-obj.10                           |
| <b>Recorded conservation data</b> | N/A  |

### Complementary information

None.

#### Study area(s)



Fig. 2: Location of sampling area,

*Credit HE-Arc CR, S.Gillioz.*

#### Binocular observation and representation of the corrosion structure

The schematic representation below gives an overview of the corrosion layers encountered on the oenochoe base from visual macroscopic observation.




Fig. 3: Stratigraphic representation of the oenochoe base by macroscopic observation,

*Credit HE-Arc CR, S.Gillioz.*

#### MiCorr stratigraphy(ies) – Bi

#### Sample(s)




Fig. 4: Micrograph of the cross-section of the sample taken from the oenochoe base showing the location of Figs. 5 to 11,

Credit HE-Arc CR.

|                                 |   |
|---------------------------------|---|
| <b>Description of sample</b>    | The sample was cut from the edge shown in Fig. 2. Its dimensions are L = 6.5 mm, W = 1.5 mm. The sample contains some remaining metal covered with a crust and a voluminous pustule corrosion (Fig. 4). |
| <b>Alloy</b>                    | Tin Bronze  |
| <b>Technology</b>               | Cold worked with repeated annealing and final cold working  |
| <b>Lab number of sample</b>     | HECR 1455 – S2  |
| <b>Sample location</b>          | HE-Arc CR, Neuchâtel, Neuchâtel   |
| <b>Responsible institution</b>  | Musée cantonal d'archéologie et d'histoire, Lausanne, Vaud  |
| <b>Date and aim of sampling</b> | 2013, metallography and chemical analyses   |

#### Complementary information

None.

#### ∨ Analyses and results

##### *Analyses performed:*

Metallography (etched with ferric chloride reagent), SEM-EDS.

#### ∨ Non invasive analysis


None.

#### ∨ Metal

The remaining metal is a tin bronze (Table 1). The etched metal shows a structure of polygonal grains with twinned and strain lines (Fig. 8).


| Elements | Cu | Sn |
|----------|----|----|
| mass%    | 91 | 9  |

Table 1: Chemical composition of the metal. Method of analysis: SEM-EDS, Lab of Electronic Microscopy and Microanalysis, IMA (Néode), HEI Arc.



Credit HEI Arc, S.Ramseyer.

Fig. 5: SEM image of the metal sample (medium grey) from Fig.4 (rotated 30°), BSE-mode,



Credit HE-Arc CR.

Fig. 6: Micrograph of the metal sample from Fig. 4, etched, bright field, 50x. Polygonal and twinned grains with strain lines are observed. The dotted surface is the result of over-etching,

|                             |  |
|-----------------------------|--|
| <b>Microstructure</b>       | Polygonal grains with twinned and strain lines |
| <b>First metal element</b>  | Cu   |
| <b>Other metal elements</b> | Sn   |

#### Complementary information

None.

∨ Corrosion layers

Intergranular corrosion is observed on the edges of the remaining metal (Fig. 7). The sample shows two forms of corrosion: multi-layered pustule corrosion at the left extremity of the sample (Fig. 8, area 1) and a corrosion crust covering the metal (Fig. 8, area 2). The multi-layered pustule corrosion has an average thickness of about 1.1 mm (L) and 0.79 mm (W) (Fig. 9). It is composed of a sandwich of 7 corrosion products, mainly green, grey, red and blue in dark field. Microscopic observation allows us to highlight new corrosion products that were not detected during the first visual examination (Fig. 9):

CP1. Light grey layer, containing mainly Sn, O, some Fe, P and a small amount of Pb combined with dark green layer, containing mainly Cu, O and P (Fig. 10, Fig. 12 and table 2)

CP2. Blue layer, containing mainly Cu, Cl, O (Fig. 10, Fig. 12 and table 2)

CP3. Red layer, containing mainly Cu and O combined with black layer containing mainly Sn and O (Fig. 10, Fig. 12 and table 2)

CP4. Brown layer containing mainly Cu, Sn and O (Fig. 10, Fig. 12 and table 2)

CP5. Dark grey layer containing mainly Cu, Sn and O (Fig. 10, Fig. 12 and table 2)

Superior markers such as contextual Fe and P are present in several layers. Their penetration illustrates the cracking of the primary corrosion layer during the formation of the pustule. The P-enrichment in some corrosion layers may be due to an environment rich in organic material (for example bones). The multi-layered pustule corrosion type has developed similarly to the process presented by Formigli (1975) and Scott (2002).

The corrosion crust on the metal has an average thickness of about 70 µm (Fig. 11). It consists of two sub-layers. The inner corrosion layer (CP2) is thin and dark brown in dark field or light grey in bright field. It has penetrated into the metal structure in some areas (Fig. 7). In dark field, the outer corrosion layer (CP1) is constituted of a heterogeneous light brown corrosion crust (Fig. 11). The inner brown corrosion layer is enriched in Sn and O but also contains P, while the outer light brown corrosion layer is mainly composed of Pb and O but also contains P and Fe (Fig. 12). The outer light brown layer is probably due to the presence of a soft solder used to assemble the base to the body.


| Elements                  | Cu  | Sn  | O   | P   | Fe | Pb  | Cl  |
|---------------------------|-----|-----|-----|-----|----|-----|-----|
| Grey layer                | nd  | +++ | ++  | ++  | ++ | +   | nd  |
| Dark green layer          | ++  | nd  | +++ | +++ | +  | +   | +   |
| Blue layer                | +++ | nd  | +   | nd  | nd | nd  | +++ |
| Red layer                 | +++ | nd  | ++  | nd  | +  | nd  | nd  |
| Black layer               | nd  | +++ | +++ | +   | +  | +   | nd  |
| Brown layer               | ++  | ++  | ++  | nd  | nd | nd  | nd  |
| Dark grey layer           | ++  | ++  | ++  | nd  | nd | nd  | nd  |
| Light brown layer (crust) | nd  | nd  | ++  | +   | +  | +++ | nd  |
| Dark brown layer (crust)  | nd  | +++ | ++  | +   | +  | +   | nd  |

Table 2: Chemical composition of the multi-layered pustule corrosion from Figs. 8, 9 and 10 in dark field. SEM-EDS, Lab of Electronic Microscopy and Microanalysis, IMA (Néode) (+++: high concentration, ++ medium concentration, + low concentration, nd: not-detected).




Credit HE-Arc CR.

Fig. 7: Micrograph of the metal sample from Fig. 4, unetched, bright field, 50x. The grain boundaries are revealed by the intergranular corrosion,



Credit HE-Arc CR.

Fig. 8: Micrograph of the metal sample (same as Fig. 7, 30° rotated), unetched, dark field, showing the location of the multi-layered pustule corrosion (area 1 to compare to Fig. 12) and the corrosion crust (area 2 to compare to Fig. 13). The area selected for elemental chemical distribution (Fig. 10) is marked by a red rectangle,



Credit HE-Arc CR.

Fig. 9: Micrograph of the metal sample from Fig. 8 (area 1, 60° rotated) and corresponding to the stratigraphy of Fig. 12, unetched, dark field,




Fig. 10: SEM image, SE-mode, and elemental chemical distribution of the selected area of Fig. 8. Method of examination: SEM-EDS, Lab of Electronic Microscopy and Microanalysis, IMA (Néode), HEI Arc,

Credit HEI Arc, S.Ramseyer.



Fig. 11: Micrograph of the metal sample (area 2) from Fig.8 (detail) and corresponding to the stratigraphy of Fig. 13, dark field,

Credit HE-Arc CR.

|                       |  |
|-----------------------|--|
| <b>Corrosion form</b> | Multiform (warty - uniform) - pitting                    |
| <b>Corrosion type</b> | Both Formigli (pustules) and type I (Robbiola) otherwise |

**Complementary information**

None.

∨ MiCorr stratigraphy(ies) – CS




Fig. 12: Stratigraphic representation of the sample taken from the oenochoe base in cross-section (dark field) using the MiCorr application. The characteristics of the strata are only accessible by clicking on the drawing that redirects you to the search tool by stratigraphy representation. This representation can be compared to Fig. 9, Credit HE-Arc CR, C.Degrigny.




Fig. 13: Stratigraphic representation of the sample taken from the oenochoe base in cross-section (dark field) using the MiCorr application. The characteristics of the strata are only accessible by clicking on the drawing that redirects you to the search tool by stratigraphy representation. This presentation can be compared to Fig. 11, Credit HE-Arc CR, C.Degrigny.

✎ Synthesis of the binocular / cross-section examination of the corrosion structure

The schematic representation of corrosion layers of Fig. 3 integrating additional information based on the analyses carried out is given in Fig. 14. The addition of "e" and "i" within the coding refers to the location of the strata which are either internal ("i") or in contact with the atmosphere ("e").




Fig. 14: Improved stratigraphic representation of the multi-layered pustule form of the oenochoe from visual observations and analyses,

Credit HE-Arc CR, S.Gillioz

✎ Conclusion

The metal of the oenochoe's base is a tin bronze. The polygonal and twinned grains with strain lines show that the base has been repeatedly cold worked and annealed with a final cold work. The metal is either well preserved or heavily corroded with the formation of pustules that go through the whole thickness of the metal. The limit of the original surface corresponds to the top surface of the dark brown layer. In the presence of a pustule it is highly deformed but discernible by the tin enriched surface. The corrosion is multiform. The well preserved and only lightly corroded areas are of Robbiola type 1 (Robbiola 1998), the pustules however are of the Formigli type (Formigli 1975).

✎ References

References on object and sample

*Reference object*

1. Gillioz, S. (2012) Oenochoé GV132-01/US.26-obj.10, Genève, Place Simon-Goulart, rapport d'intervention. Haute Ecole ARC, Neuchâtel, 2013, non-publié.

*Reference sample*

2. Gillioz, S. (2012) Oenochoé GV132-01/US.26-obj.10, Genève, Place Simon-Goulart, rapport d'intervention.

### References on analytic methods and interpretation

3. Formigli, E. (1975) « Die Bildung von Schichtpocken auf antiken Bronzen ». Arbeitsblätter, Heft 1, 51-74.
4. Robbiola, L., Blengino, J-M., Fiaud, C. (1998) Morphology and mechanisms of formation of natural patinas on archaeological Cu-Sn alloys, Corrosion Science, 40, 12, 2083-2111.
5. Scott, D. A. (2002) Copper and bronze in Art, corrosion, colorants, conservation. Getty publications, Los Angeles, 337.